



Demography, Interventions & Outcomes Of Older Patients Following Stroke

Data range for infographic: 01.01.2000-02.02.2022 Other extended time periods are available on request

24,783 older patients admitted with a stroke. Granular detail of care pathways. Multi-morbidity, investigations, interventions and treatments. Serial physiology, blood biomarkers, physiotherapy, outcome. Deeply phenotyped.






Comorbidities


Top 5 diagnoses inpatient spells:

- **21K** Cerebral infarction
- 19K Essential (primary) Hypertension
- **7K** Cerebrovascular accident
- **6K** Suspected cerebrovascular accident
- **4K** Other specified cerebrovascular diseases

Other diagnosis are available



- 993K Blood Pressure
- **572K** O2 sats (%)
- **524K** Respiratory Rate



Medication

- 3M drug administered
- The most common direct oral anticoagulant is Apixaban with **18K** administrations

Inpatient care

- 29,333 Hospitalised spells; containing 24,783 patients diagnosed with Stroke
- **530K** days worth of hospital data with an average in-hospital length of stay of **18** days
- The average Glasgow Coma Scale is **12** (moderate traumatic brain injury)
- Based on the index of multiple deprivation map, 19% of the population are from most deprived areas and 7% of patients are from least deprived areas

7M Imaging

- **36K** Radiology
- **30K** CT
- **7K** MRI

Other Imaging details are available



Therapy

- **51K** Physiotherapy
- **30K** Occupational therapy
- **14K** Speech and language therapy

Other Therapy details are available